



Benzie & Leelanau
County Beach Monit

Benzie-Leelanau District Health Department

BENZIE OFFICE
6051 Frankfort Highway
Suite 100
Benzonia, Michigan 49616
Phone (231) 882-4409
Fax (231) 882-2204

LEELANAU OFFICE
7401 E. Duck Lake Road
Suite 100
Lake Leelanau, Michigan 49653
Phone (231) 256-0200
Fax (231) 256-0225

Website: www.bldhd.org

FOR IMMEDIATE RELEASE

September 9, 2021

Weekly Benzie and Leelanau Beach Report
Sampled 9/8/2021. Reported 9/9/2021.

<u>Beach</u>	<u>This week's sample results E. coli count per 100ml</u>	<u>30 day Geometric Mean</u>	<u>Water Quality Index</u>
Frankfort Beach	25		Level 1
Beulah Beach Crystal Lake	25		Level 1
Empire Beach	298		Level 1
Greilickville Harbor Park	19		Level 1
Northport Marina	2		Level 1
South Bar Lake	32		Level 1
Suttons Bay Marina	17		Level 1
Suttons Bay Park	1		Level 1

<u>Water Quality Index</u>		<u>E. coli/100ml (Single Event)</u>	<u>E. Coli/100ml (30 day geo-mean)</u>
Level 1	E. coli levels meet EGLE swimming standards for full body contact	0-300	0-130
Level 2	E. coli levels meet EGLE standards for wading, fishing, and boating. contact above the waist not advised.	300-1000	130-1000*
Level 3	E. coli levels exceed EGLE standards, no body contact advised	>1000	>1000
Level 4	Health Alert. E. coli levels and/or known gross contamination of beach waters. Avoid contact with beach waters.		

Note: Beach samples are routinely collected once a week. Therefore E. coli levels may not meet EGLE standards between sampling days. E. coli levels are more apt to increase after a storm.

* If beach samples contain more than 130 E. coli/100ml, as a 30 day geometric mean, a notice for that beach will be set at the water quality index of 2 and will remain until the 30-day geometric mean is below 130 E. coli per 100ml.

